XTEC 5W30 ST

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Reference number: 34951
Issue date: 02-04-24 Revision date: 11-12-25 Supersedes version of: 19-05-25 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : XTEC 5W30 ST
Product code : 34951 # 7313495VR3
Type of product : Lubricants and additives

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use
Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor
SADAPS BARDAHL Additives & Lubricants
ZI TOURNAI OUEST 2 - RUE DU MONT DES CARLIERS, 3
7522 TOURNAI
BELGIQUE
T +32 (0).69.59.03.60, F +32 (0).69.59.03.61
msds@bardahlfrance.com, www.bardahl.be

Supplier
SADAPS BARDAHL Additives & Lubricants
ZI TOURNAI OUEST 2 - RUE DU MONT DES CARLIERS, 3
7522 TOURNAI
BELGIQUE
T +32 (0).69.59.03.60, F +32 (0).69.59.03.61
msds@bardahlfrance.com, www.bardahl.be

1.4. Emergency telephone number

Emergency number : + 32 (0)70.245.245 / +33 (0)1.45.42.59.59

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	112 +356 2545 6508	
Saudi Arabia	Poison Control Center-Riyadh	General Directorate of Health Affairs Medial Province	+966 112324180 +966 112324189	
United Arab Emirates	Health Authority – Abu Dhabi (HAAD) Poison & Drug Information Center (PDIC)	P.O. Box 5674	+ 800-424	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P280 - Wear protective gloves.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.
P501 - Dispose of contents/container to a hazardous or special waste collection point.

EUH-statements : EUH208 - Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs, calcium salts, Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction.

Child-resistant fastening : Not applicable

Tactile warning : Not applicable

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, ES, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE); substance with a Community workplace exposure limit (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-25	≥50 - ≤75	Not classified
Dec-1-ene, trimers, hydrogenated	CAS-No.: 157707-86-3 EC-No.: 500-393-3 REACH-no: 01-2119493949-12	≥10 - ≤25	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, ES, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE); substance with a Community workplace exposure limit (Note L)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627-25	≤10	Asp. Tox. 1, H304
highly refined mineral oil (C15-C50) substance with national workplace exposure limit(s) (BE); substance with a Community workplace exposure limit (Note L)	-	≤10	Not classified
Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts	CAS-No.: 722503-68-6 EC-No.: 682-816-2	≤1	Skin Sens. 1B, H317

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated	EC-No.: 953-650-0	≤1	Skin Sens. 1B, H317 Repr. 2, H361d

Specific concentration limits:		
Name	**Product identifier**	**Specific concentration limits**
Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts	CAS-No.: 722503-68-6 EC-No.: 682-816-2	(2 ≤ C < 100) Skin Sens. 1B; H317
Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated	EC-No.: 953-650-0	(2 ≤ C < 100) Skin Sens. 1B; H317 (17,15 ≤ C < 100) Repr. 2; H361d

Comments : Note L
The mineral oils in the product contain <3% DMSO-extract (IP 346).
The blend of mineral oils contains at least one of the following CAS numbers (REACH registration numbers):
CAS: 64742-54-7, EC: 265-157-1, EU REACH: 01-2119484627-25
CAS: 64742-55-8, EC: 265-158-7, EU REACH: 01-2119487077-29
CAS: 64742-65-0, EC: 265-169-7, EU REACH: 01-2119471299-27
CAS: 64742-56-9, EC: 265-159-2, EU REACH: 01-2119480132-48

Note L - The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 (“Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method” Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Remove contaminated clothes. Wash skin with plenty of water. Wash contaminated clothing before reuse.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid measures after ingestion : Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May produce an allergic reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.
Other information : Prevent liquid from entering sewers, watercourses, underground or low areas.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Eliminate every possible source of ignition. Ensure adequate ventilation, especially in confined areas. Spill area may be slippery. Keep public away from danger area. Equip cleanup crew with proper protection.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Dike for recovery or absorb with appropriate material. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Recover the product with absorbent material.
Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.
Other information : Spill area may be slippery.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not eat, drink or smoke when using this product.
Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation.
Storage conditions : Store in a closed container. Keep out of frost.
Heat and ignition sources : Keep away from naked flames/heat. Keep away from ignition sources.
Information on mixed storage : Keep away from food, drink and animal feeding stuffs.
Storage area : Store in a well-ventilated place. Store in a dry place.
Special rules on packaging : Store in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	5 mg/m³ (8h; UE Valeurs limites d'exposition professionnelle (Europe))
Belgium - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h; mist; Valeurs Limites (Belgique, 5/2021))
OEL STEL	10 mg/m³ (15min; mist; Valeurs Limites (Belgique, 5/2021))
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h; Ministry of Labour and Social Policy and the Ministry of Health - Ordinance No 13/2003.)
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	5 mg/m³ (8h; aerosol; Government regulation of Czech Republic PEL/NPK-P (République Tchèque, 5/2021)
NPK-P (OEL C)	10 mg/m³ (15min; aerosol; Government regulation of Czech Republic PEL/NPK-P (République Tchèque, 5/2021)
Denmark - Occupational Exposure Limits	
OEL TWA	1 mg/m³ (8h; mist and particles; Working Environment Authority (Danemark, 11/2021))
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	5 mg/m³ (8h; mist; Institute of Occupational Health, Ministry of Social Affairs (Finlande, 10/2021).)
Greece - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h; mist; Ministry of Labour and Social Affairs (Grèce, 9/2021).)
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	5 mg/m³ (8h; mist; 5/2020. (II. 6.) ITM Decree (Hongrie, 2/2020).)
Ireland - Occupational Exposure Limits	
OEL TWA	5 ppm
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h; Ministers Cabinet Regulations Nr.325 - AER (Lettonie, 2/2021).)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	1 mg/m³ (8h; mist; Lithuanian Hygiene Standard HN 23 (Lituanie, 1/2021).)
TPRV (OEL STEL)	3 mg/m³ (15 min; mist; Lithuanian Hygiene Standard HN 23 (Lituanie, 1/2021).)
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	5 mg/m³ (8h; mist; Ministry of Social Affairs and Employment, Legal limit values (Pays-Bas, 7/2021).)
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	5 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h; fraction inhalable; Portuguese Institute of Quality (Portugal, 11/2014).)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Romania - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h; HG 1218/2006 with subsequent modifications and additions (Roumanie, 3/2021).)
OEL STEL	10 mg/m³ (15min ; HG 1218/2006 with subsequent modifications and additions (Roumanie, 3/2021).)
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	5 mg/m³ (8h; mist; National institute of occupational safety and health (Espagne, 4/2021).)
VLA-EC (OEL STEL)	10 mg/m³ (15min; mist; National institute of occupational safety and health (Espagne, 4/2021).)
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	1 mg/m³ (8h; mist and fume; Work environment authority Regulation 2018:1 (Suède, 9/2021).)
KGV (OEL STEL)	3 mg/m³ (15 min; mist and fume; Work environment authority Regulation 2018:1 (Suède, 9/2021).)
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	5 mg/m³ (8h; UE Valeurs limites d'exposition professionnelle (Europe).)
WEL STEL (OEL STEL)	10 mg/m³ (15min ;UE Valeurs limites d'exposition professionnelle (Europe).)
Iceland - Occupational Exposure Limits	
OEL TWA	1 mg/m³ (8h; particulates; Ministry of Welfare, List of Exposure Limits (Islande, 5/2021).)
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	1 mg/m³ (8h; mineral oil particles; FOR-2011-12-06-1358 (Norvège, 6/2021).)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	5 mg/m³ (8h; UE Valeurs limites d'exposition professionnelle (Europe))
Belgium - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h; mist; Valeurs Limites (Belgique, 5/2021))
OEL STEL	10 mg/m³ (15min; mist; Valeurs Limites (Belgique, 5/2021))
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h; Ministry of Labour and Social Policy and the Ministry of Health - Ordinance No 13/2003.)
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	5 mg/m³ (8h; aerosol; Government regulation of Czech Republic PEL/NPK-P (République Tchèque, 5/2021)
NPK-P (OEL C)	10 mg/m³ (15min; aerosol; Government regulation of Czech Republic PEL/NPK-P (République Tchèque, 5/2021)
Denmark - Occupational Exposure Limits	
OEL TWA	1 mg/m³ (8h; mist and particles; Working Environment Authority (Danemark, 11/2021))
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	5 mg/m³ (8h; mist; Institute of Occupational Health, Ministry of Social Affairs (Finlande, 10/2021).)
Greece - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h; mist; Ministry of Labour and Social Affairs (Grèce, 9/2021).)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	5 mg/m³ (8h; mist; 5/2020. (II. 6.) ITM Decree (Hongrie, 2/2020).)
Ireland - Occupational Exposure Limits	
OEL TWA	5 ppm
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h; Ministers Cabinet Regulations Nr.325 - AER (Lettonie, 2/2021).)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	1 mg/m³ (8h; mist; Lithuanian Hygiene Standard HN 23 (Lituanie, 1/2021).)
TPRV (OEL STEL)	3 mg/m³ (15 min; mist; Lithuanian Hygiene Standard HN 23 (Lituanie, 1/2021).)
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	5 mg/m³ (8h; mist; Ministry of Social Affairs and Employment, Legal limit values (Pays-Bas, 7/2021).)
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	5 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h; fraction inhalable; Portuguese Institute of Quality (Portugal, 11/2014).)
Romania - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h; HG 1218/2006 with subsequent modifications and additions (Roumanie, 3/2021).)
OEL STEL	10 mg/m³ (15min ; HG 1218/2006 with subsequent modifications and additions (Roumanie, 3/2021).)
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	5 mg/m³ (8h; mist; National institute of occupational safety and health (Espagne, 4/2021).)
VLA-EC (OEL STEL)	10 mg/m³ (15min; mist; National institute of occupational safety and health (Espagne, 4/2021).)
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	1 mg/m³ (8h; mist and fume; Work environment authority Regulation 2018:1 (Suède, 9/2021).)
KGV (OEL STEL)	3 mg/m³ (15 min; mist and fume; Work environment authority Regulation 2018:1 (Suède, 9/2021).)
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	5 mg/m³ (8h; UE Valeurs limites d'exposition professionnelle (Europe).)
WEL STEL (OEL STEL)	10 mg/m³ (15min ;UE Valeurs limites d'exposition professionnelle (Europe).)
Iceland - Occupational Exposure Limits	
OEL TWA	1 mg/m³ (8h; particulates; Ministry of Welfare, List of Exposure Limits (Islande, 5/2021).)
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	1 mg/m³ (8h; mineral oil particles; FOR-2011-12-06-1358 (Norvège, 6/2021).)

highly refined mineral oil (C15-C50)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	5 mg/m³ (8h)
IOEL STEL	10 mg/m³ (15 minutes)

highly refined mineral oil (C15-C50)	
Belgium - Occupational Exposure Limits	
OEL TWA	5 mg/m³ (8h)
OEL STEL	10 mg/m³ (15 min)

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:
Safety glasses. ISO 16321-1

8.2.2.2. Skin protection

Skin and body protection:
Wear suitable protective clothing

Hand protection:
Gloves. ISO 374-1

Hand protection					
Type	**Material**	**Permeation**	**Thickness (mm)**	**Penetration**	**Standard**
Gloves	Nitrile rubber (NBR)	3 (> 60 minutes)	0,17		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:
Good ventilation of the workplace required

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	yellowish.
Odour	:	weak.
Odour threshold	:	Not available
Melting point	:	Not available
Freezing point	:	Not available
Boiling point	:	> 250 °C
Flammability	:	Not available
Explosive limits	:	Not available
Lower explosion limit	:	Not available
Upper explosion limit	:	Not available
Flash point	:	204 °C [ASTM D 93]
Auto-ignition temperature	:	> 250 °C
Decomposition temperature	:	> 250 °C
pH	:	Not available
Viscosity, kinematic	:	71,5 mm²/s (40°C)) [ASTM D 445]
Solubility	:	insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Vapour pressure	:	< 0,01 kPa
Vapour pressure at 50°C	:	Not available
Density	:	0,85 g/cm³ [ASTM D 4052]
Relative density	:	Not available
Relative vapour density at 20°C	:	Not available
Particle characteristics	:	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Heat. Open flame. Sparks. Water, humidity. Freezing.

10.5. Incompatible materials

oxidizing materials.

10.6. Hazardous decomposition products

Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LD50 oral rat	> 5000 mg/kg (OECD 401)
LD50 dermal rabbit	> 5000 mg/kg (OECD 402)
LC50 Inhalation - Rat	> 5,53 mg/l/4h (OECD 403)

Dec-1-ene, trimers, hydrogenated (157707-86-3)	
LD50 oral rat	> 2000 mg/kg

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LD50 oral rat	> 5000 mg/kg (OECD 401)
LD50 dermal rabbit	> 5000 mg/kg (OECD 402)
LC50 Inhalation - Rat	> 5,53 mg/l/4h (OECD 403)

highly refined mineral oil (C15-C50)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	5,53 mg/l/4h

Skin corrosion/irritation : Not classified
Additional information : Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0,15 mg/l

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0,15 mg/l

Aspiration hazard : Not classified

XTEC 5W30 ST	
Viscosity, kinematic	71,5 mm²/s (40°C)) [ASTM D 445]

Dec-1-ene, trimers, hydrogenated (157707-86-3)	
Viscosity, kinematic	< 20 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Not classified

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
NOEC chronic fish	1000 mg/l (14d; Oncorhynchus mykiss)
NOEC chronic crustacea	10 mg/l Daphnia magna
NOEC chronic algae	≥ 100 mg/l (Pseudokirchneriella subcapitata)

Dec-1-ene, trimers, hydrogenated (157707-86-3)	
LC50 - Fish [1]	> 1000 mg/l
EC50 - Crustacea [1]	> 1000 mg/l

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
NOEC chronic fish	1000 mg/l (14d; Oncorhynchus mykiss)
NOEC chronic crustacea	10 mg/l Daphnia magna
NOEC chronic algae	≥ 100 mg/l (Pseudokirchneriella subcapitata)

highly refined mineral oil (C15-C50)	
EC50 72h - Algae [1]	> 100 mg/l
NOEC chronic algae	> 10 mg/l (Water flea (Daphnia magna), 21 d)

12.2. Persistence and degradability

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Biodegradation	31 % (28d) (OCDE 301F)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Biodegradation	31 % (28d) (OCDE 301F)

12.3. Bioaccumulative potential

Dec-1-ene, trimers, hydrogenated (157707-86-3)	
Partition coefficient n-octanol/water (Log Pow)	5

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Sewage disposal recommendations : Do not discharge into drains or the environment.

Product/Packaging disposal recommendations : Collect all waste in suitable and labelled containers and dispose according to local legislation.

Additional information : Empty the packaging completely prior to disposal. Do not re-use empty containers.

Ecological waste information : Do not discharge the product into the environment.

European List of Waste (LoW, EC 2000/532) : 13 01 10* - mineral based non-chlorinated hydraulic oils

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

14.6. Special precautions for user

Overland transport
Not applicable

Transport by sea
Not applicable

Air transport
Not applicable

Rail transport
Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Austria

Ordinance on Flammable Liquids (VbF)	:	Auto detect

Germany

Employment restrictions	:	Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
Water hazard class (WGK)	:	WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
Override matching entry (12. BImSchV)	:	Is not subject to the Major Accidents Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen	:	Distillates (petroleum), hydrotreated heavy paraffinic ,Distillates (petroleum), hydrotreated heavy paraffinic are listed
SZW-lijst van mutagene stoffen	:	Distillates (petroleum), hydrotreated heavy paraffinic ,Distillates (petroleum), hydrotreated heavy paraffinic are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	:	None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	:	None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	:	None of the components are listed

Switzerland

Storage class (LK)	:	LK 10/12 - Liquids

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H361d	Suspected of damaging the unborn child.
EUH208	Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs, calcium salts, Alkyl (C18-C28) toluenesulfonic acid, calcium salts, borated. May produce an allergic reaction.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.